


10 ways Xylan® coatings improve performance and extend service life of garden tools



Whitford's Xylan coatings offer many benefits for all types of garden tools. These include keeping blades sharper longer, resisting corrosion, reducing "snagging", extending service life.

Xylan coatings are perfect for everything from lopper blades and pruners to hand trowels and saw blades.

Whitford also offers a complete range of functional, engineered coatings for practically every application. For more detailed information, please contact your Whitford representative or the Whitford office nearest you (the addresses of our four regional headquarters are on the back page). Or visit us on the web at: whitfordww.com.

Whitford

Makers of the world's largest, most complete line of fluoropolymer coatings

Whitford's Coatings, Explained

Xylan 1010: An excellent general purpose, solvent-borne, low-friction, dry-film lubricant to prevent "snagging" and reduce build up of dirt and sap. Xylan 1010 also offers good corrosion and weathering resistance and operates up to temperatures of 260°C (525°F). It is widely used on a range of cutting blades, including commercial loppers. Note: reinforced versions of Xylan 1010 exist for applications where increased abrasion resistance is required.

Xylan 1014: Similar to Xylan 1010, but with significantly more bonding resin relative to its level of PTFE lubricant. This provides a finish that is harder and more abrasion-resistant, while maintaining low-friction values. Xylan 1014 is ideal for blade applications where the items being cut are more likely to scratch — for example on pruner and axe blades.

Xylan 1015: Similar to Xylan 1014, but with even more bonding resin — resulting in a higher level of abrasion resistance. Xylan 1015 also has a more attractive, glossier finish than the rest of the range.

Xylan 1270: Similar to Xylan 1015, but with improved corrosion resistance to protect the tool from general weathering and exposure to lubricants and other garden chemicals. Xylan

1270 also offers good wear and abrasion resistance. It is ideal for applications where exposure to chemicals is more likely — for example saw blades and mower blades.

Xylan 1400: Similar to Xylan 1270. Good corrosion and abrasion resistance with relatively low friction values. Electrostatic versions available for cost-savings.

Xylan 1424: Waterborne, highly corrosion-resistant, low-friction, dry-film lubricant. Xylan 1424 helps to prevent "snagging" while protecting the blade from abrasion, weathering and corrosion. It combines the performance characteristics of both 1014 and 1270 in one, VOC-compliant coating.

Xylan 1454: FEP-based, low-cure coating designed primarily for abrasion resistance and low-friction Xylan 1454 also offers some release and corrosion resistance. Typical applications include shears and knives.

Xylan 8515 and 8530: Food-safe, easy-clean, nonstick coatings to reduce build-up of dirt. Both are UV-stable and dishwasher-proof, therefore ideal for applications where tools might also be used for food preparation in the kitchen, such as hunting and camping knives. Available in a variety of colours.

How to contact the Whitford office nearest you

Asia-Pacific

Whitford Ltd.
22nd Floor, 26 Nathan Road
Kowloon, Hong Kong
Tel: +852 2559-3833 • Fax: +852 2857-7911
Email: saleshk@whitfordww.com

Europe

Whitford Ltd.
10 Christleton Court, Manor Park
Runcorn, Cheshire, WA7 1ST, UK
Tel: +44 (0) 1928 571000 • Fax: +44 (0) 1928 571010
Email: salesuk@whitfordww.com

North America

Whitford Corporation
47 Park Avenue, Box 80
Elverson, PA 19520
Tel: +1 (610) 286-3500 • Fax: +1 (610) 286-3510
Email: sales@whitfordww.com

South America

Whitford do Brasil Ltda.
Avenida Sao Carlos 620, 1 Distrito Industrial
Americo Brasiliense, SP, CEP 14820-000, Brazil
Tel: +55 (16) 2108-6800 • Fax: +55 (16) 2108-6886
Email: salesbr@whitfordww.com

NON-WARRANTY: THE INFORMATION PRESENTED IN THIS PUBLICATION IS BASED UPON THE RESEARCH AND EXPERIENCE OF WHITFORD. NO REPRESENTATION OR WARRANTY IS MADE, HOWEVER, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PRESENTED IN THIS PUBLICATION. WHITFORD MAKES NO WARRANTY OR REPRESENTATION OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, AND NO WARRANTY OR REPRESENTATION SHALL BE IMPLIED BY LAW OR OTHERWISE. ANY PRODUCTS SOLD BY WHITFORD ARE NOT WARRANTED AS SUITABLE FOR ANY PARTICULAR PURPOSE TO THE BUYER. THE SUITABILITY OF ANY PRODUCTS FOR ANY PURPOSE PARTICULAR TO THE BUYER IS FOR THE BUYER TO DETERMINE. WHITFORD ASSUMES NO RESPONSIBILITY FOR THE SELECTION OF PRODUCTS SUITABLE TO THE PARTICULAR PURPOSES OF ANY PARTICULAR BUYER. WHITFORD SHALL IN NO EVENT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. wc7/09

Whitford

Makers of the world's largest, most complete line of fluoropolymer coatings